STRUCTURE AND PROPERTIES OF CARBON BASED NANOCOMPOSITE FILMS.

G. Radnóczi, Gy. J. Kovács, G. Sáfrán, K. Sedlacek, O. Geszti, T. Ujvári*, I. Bertóti*,

Research Institute for Technical Physics and Materials Science, H 1525 Budapest, P.O. Box 49, Hungary * Research Laboratory of Materials and Environmental Chemistry, Chemical Research Center, H-1525 Budapest, P.O. Box 17, Hungary

Magnetron sputtered amorphous CN_x films constitute a relatively new class of industrially applied thin films. They have been used since the 1990's as protective coatings of hard disks and recorder heads. Presently the research focuses on *fullerene-like* CN_x thin films.

DC sputtered Carbon, CN_x and Carbon–Nickel and Carbon-Nitride–Nickel thin films were investigated by high resolution electron microscopy, X-ray microanalysis and nanoindentation to clarify the influence of Nitrogen and Ni additions on the structure formation and mechanical properties. The films were deposited in argon or nitrogen plasma at temperatures from 25 to 800 °C onto NaCl and SiO₂ substrates. The microstructures of the Ni containing films can be described as nanocomposites, built from Ni or Ni₃C nanocrystals in a carbon/CNx matrix. The mechanical properties of the films were found to be strongly dependent on the substrate-temperature along with the changes of the structure. The highest nanohardness of 14 GPa was measured for the film grown at 200 °C, while low values (down to 2 GPa) were obtained for high temperature deposition. The change of the hardness is thought to be primarily the consequence of morphological changes of the crystalline phase from columnar to globular in the temperature range 200-800°C. TEM measurements confirm that Ni enhances the formation of ordered C/CN_x structures as graphitic shells and fullerene-like domains in sputter-deposited films.

Acknowledgement: This work was supported by the Hungarian National Science Foundation (OTKA T-30424 and T-043359), by the EU under the contract No. ICAI-CT-2000-70029 and through the project New Fullerene-like Materials: RTN2-2001-00172.